



Print




Copy



Distribute



Fax



Customizable



Scan



Automate



On Site
Service



Customizable color touch screen

Wide-format color print, copy, fax
and scan capabilities

Versatile color application support

Optional workflow enhancement
software

Lexmark

X912e



Lexmark X912e MFP



Lexmark 5500 MFP Option

Easy to use

High-performance wide-format color MFP features large color touch screen with intuitive interface

Fast printer and scanner for maximum productivity with color and mono print speeds of up to 28 ppm and scanner speeds of up to 68/36 ppm (duplex)

Time to first page is less than 15 seconds so users can get jobs in a hurry

Reduce costs

Optimize device consolidation using one set of supplies and one machine

Lexmark solutions are secure, manageable, and network proven

Improved business processes and decreased printed pages produce excellent cost savings and value to the customer

Advanced workflow solutions

Lexmark MFP's in conjunction with Lexmark document solutions software can simplify business processes

Simplify business processes with documents on demand, electronic forms, and scan to email solutions

Lexmark offers expertise in industry specific applications and customized solutions meeting business needs

Versatile wide-format color MFP

Flexible for customer growth

Most powerful color MFP Lexmark offers

Many applications: banners, posters, signage, mapping and proofing

Ease-of-use, versatility and reliability in a wide-format color MFP.

	Lexmark X912e
Part Number	Canada 16C0466
Technology	Color tandem LED
Speed	Up to 28 ppm black and color
Resolution	2400 image quality, automatic color correction
Processor	600 MHz
Memory (std./max)	256MB/512MB
Connectivity	Standard: 10/100BaseTX Ethernet and USB, one internal solutions port Optional: Token Ring ¹
Paper Capacity Standard (in/out) Maximum (in/out)	1,200/650 5,300/1650
Paper Options	Standard: 100-sheet multipurpose feeder, 550-sheet input tray, 550-sheet drawer, 100-sheet exit tray, 550-sheet output bin, duplex unit Optional: Heavy media input tray, 2x550-sheet drawer with printer stand, 3,000-sheet high-capacity feeder, 1,100-sheet staple punch finisher
Paper Sources Standard (in/out) Maximum (in/out)	3/2 6/3
Digital Copying	Speed: up to 28 cpm ² Copy select: 1-999 Reduce/enlarge: 25% to 400% Paper Saver: 2-up or 4-up Date/time stamp: Adds date and time to top of each page Message overlay: Adds watermark to each page
Fax Capabilities	Modem speed: 33.6 kbps Receive fax, receive to memory Send hard copy fax: Flatbed or ADF Send soft copy fax: From the PS3 print driver Send fax to server, memory send, group fax Address book: Search LDAP and/or internal directory for names and fax numbers Shortcut keys: up to 245 shortcuts Selectable quality modes: Standard, fine, super fine, ultra fine Retry, transmission and receive log
Scanning Capabilities	Scan to FTP server, scan to email, scan to workstation Customer scan profiles Shortcut keys: up to 245 shortcuts File formats: JPEG, TIFF, PDF, PS2
Scanner Function Specifications	Scanner type: Single pass duplex C-path color ADF Scanning speed simplex: 34/19 ppm mono/color Scanning speed duplex: 68/36 ppm mono/color Maximum optical resolution: 600 x 600 dpi Document feeding mode: Flatbed and ADF built-in ADF capacity: 50 sheets Original document size: - ADF minimum 5.5 x 5.5 (in), 140 x 140 (mm) - ADF maximum 11.7 x 17 (in), 297 x 432 (mm) - Flatbed maximum A3/ 11 x 17 (in), 297 x 432 (mm) Original document thickness: up to 32 lb (120 g/m ²)
Size/Weight	C912dn: 27.4" x 25.8" x 25.2" (W x D x H) (695 mm x 655 mm x 641 mm) 230.8 lb (104.9 kg) Scanner: 26" x 27" x 16.5" (W x D x H) (660 mm x 686 mm x 419 mm) 56.5 lb (25.7 kg) Bundle: 57" x 26" x 46" (W x D x H) (1448 mm x 660 mm x 1168 mm) 396 lb (180 kg)
Printer Duty Cycle	Up to 100,000 pages per month
Warranty	1-year LexOnSite SM Repair
Optional Software	Lexmark Document Solutions Suite

¹ Requires Ringdale Token-Ring to Ethernet bridge for full functionality in Token-Ring environment

² "Scan once, print many" operation

Order Information Chart

Part No.	UPC	Description
US/Canada		
16C0466	7-34646-38968-6	X912e MFP
SUPPLIES		
Cartridges¹		
12N0768	7-34646-56768-8	14,000-page Cyan Print Cartridge
12N0769	7-34646-56769-5	14,000-page Magenta Print Cartridge
12N0770	7-34646-56770-1	14,000-page Yellow Print Cartridge
12N0771	7-34646-56771-8	14,000-page Black Print Cartridge
12N0772	7-34646-56772-5	28,000-page Color Photodeveloper Kit
12N0773	7-34646-56773-2	28,000-page Black Photodeveloper
12N0774	7-34646-56774-9	14,000-page Oil Coating Roller
11K3188	7-34646-20993-9	Staple Cartridge
Media		
12A5940	7-34646-17130-4	Transparencies (Letter, 50 sheets)
12A5950	7-34646-24547-0	Glossy Paper (Letter, 50 sheets)
OPTIONS AND FEATURES		
Paper Handling		
12N0778	7-34646-56778-7	550-sheet Drawer
12N0780	7-34646-56780-0	Heavy Media Tray
12N0781	7-34646-56781-7	High Capacity Feeder
12N0782	7-34646-56782-4	2x550-sheet Drawer with Base
12N0783	7-34646-56783-1	Duplex Unit
12N0784	7-34646-56784-8	Staple Punch Finisher (3 hole)
12N0785	7-34646-56785-5	Staple Punch Finisher (4 hole)
Memory Options		
11N0023	7-34646-36784-4	64MB SDRAM
11N0025	7-34646-36785-1	128MB SDRAM
11N0036	7-34646-36851-3	256MB SDRAM
12P0069	7-34646-36855-1	4MB Flash DIMM
12P0068	7-34646-36854-4	8MB Flash DIMM
12P0066	7-34646-36853-7	16MB Flash DIMM
12N1262	7-34646-12347-1	20 + GB Hard Disk

Part No.	UPC	Description
Font Options		
12P0101	7-34646-24578-4	Simplified Chinese Font Kit
12P0102	7-34646-24579-1	Traditional Chinese Font Kit
12P0103	7-34646-24580-7	Japanese Font Kit
APPLICATION SOLUTIONS		
Optra Forms Solutions		
11N0040	7-34646-20731-7	Optra Forms™ Software
11N0052	7-34646-20732-4	Optra Forms Director
12P0085	7-34646-36846-9	Optra Forms 4MB Flash DIMM
12P0084	7-34646-36847-6	Optra Forms 8MB Flash DIMM
12P0083	7-34646-36848-3	Optra Forms 16MB Flash DIMM
43H5841	7-34646-17041-3	Optra Forms 2-Key Security
43H5842	7-34646-17042-0	Optra Forms 3-Key Security
12P0086	7-34646-36850-6	Optra Forms 5 + GB Hard Disk with Adapter
Other Options		
12N1250	7-34646-36842-1	ImageQuick™ Card
12N1251	7-34646-36843-8	Bar Code Card
12N1252	7-34646-26888-2	Card for IPDS & SCS/TNe
12N1253	7-34646-12360-0	PrintCryption™ Card
MULTIFUNCTION SOLUTIONS		
Furniture		
12N0786	7-34646-56787-9	C912 Printer Cabinet
12N0787	7-34646-56788-6	C912 Printer Base
12N0379	7-34646-38375-2	X912e MFP Cabinet
12N0228	7-34646-38374-5	X912e Operator Panel Cover
Multifunction Options		
16C0365	7-34646-38200-7	Lexmark 5500 MFP Option

¹ Yield is based on approximately 5% print coverage



Touch screen keyboard for network login and directory lookup



Advanced copy options



Fax using numbers or shortcuts



Lexmark, Lexmark with diamond design, ImageQuick and Optra Forms are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. We're Always Working and PrintCryption are trademarks of Lexmark International, Inc. LexOnSite is a service mark of Lexmark International, Inc. Other trademarks are the property of their respective owners. © Copyright 2003. Lexmark International, Inc. All rights reserved.

71C-6524

LEXMARK

We're Always Working.™